



GARDEN AND POETRY
2022.01

inverlight[®]
STAINLESS LIGHTING SOLUTIONS



Soffione P1





G4 / 1,6W / 200lm / 12V / H 600 mm

SOP1AH1 ■ ■ ■

G4 / 1,6W / 200lm / 12V / H 1100 mm

SOP1AH2 ■ ■ ■

G4 / 1,6W / 200lm / 12V / H 1600 mm

SOP1AH3 ■ ■ ■

G4 / 1,6W / 200lm / 12V / H 2000 mm

SOP1AH4 ■ ■ ■

LED / 1W / 100lm / 350mA / H 600 mm

SOP1BH1 ■ ■ ■ ■

LED / 1W / 100lm / 350mA / H 1100 mm

SOP1BH2 ■ ■ ■ ■

LED / 1W / 100lm / 350mA / H 1600 mm

SOP1BH3 ■ ■ ■ ■

LED / 1W / 100lm / 350mA / H 2000 mm

SOP1BH4 ■ ■ ■ ■

■ LED color

■ Diffuser's lenght

Finishing

2 2700 K

10 100 mm

IN Inox

3 3000 K

13 130 mm

BT Browntech

20 200 mm

Drivers 12V and 350mA p. 218

Soffione P1

CE G4 IP65 IK07 12V

Stainless steel AISI 316L


Spike to be buried

Hand blown sand blasted glass L= 100, 130 and 200mm

G4 version with LED bulb included and version with LED card integrated

Supplied with 3 mt cable

Driver 12V (G4) or driver 350mA (LED) not included



inverlight
FRANCESCO CASARINO SOCIETÀS P.A.S.

via P. Stucchi, 2 \ 20872 Cornate d'Adda (MB) Italy

tel. +39 039 6060754

www.inverlight.it \ info@inverlight.it