

The Collection **6.0**


inverlight[®]
STAINLESS LIGHTING SOLUTIONS

Follow me

Recessed reporting lights with different cover possibilities in stainless steel Aisi 316. IP 67.

Sand-blasted polycarbonate diffuser.

Equipped with pre-wired cable.

Appareil encastré de signal en acier inoxydable AISI 316, avec différentes possibilités de couverture. IP 67.


Diffuseur en polycarbonate sablé.

Équipé avec câble pré-câblé.

Incassi di segnalazione con diverse possibilità di cover inox Aisi 316. IP 67.

Diffusore in policarbonato sabbato.

Dotati di cavo pre-cablato.




⊘ GX53 \ 1 x T2 7/9W \
280lm \ 230V

h 140 mm **40401**

LED 4.2W \ 3000K \ 280lm \
220-240V

h 200 mm **40405**

LED 4000K + **4K**



Follow me mask



.001 \ .002 ■



.003 \ .004 ■



.005 \ .006 ■




.007 \ .008 ■



.009 \ .010 ■



.011 \ .012 ■



.013 \ .014 ■



.015 \ .016 ■



.017 \ .018 ■



.019 \ .020 ■




.021 \ .022 ■



.023 \ .024 ■

Browntech Inox





via P. Stucchi, 2 \ 20872 Cornate d'Adda (MB) Italy
tel. +39 039 6060754 \ Fax +39 039 6887843
www.inverlight.it \ info@inverlight.it