



GARDEN AND POETRY
2022.01

inverlight[®]
STAINLESS LIGHTING SOLUTIONS



E27 PAR30 max 12W / 220-240V / Round ring

MR22F31 ■ ■ ■ ■ ■

MR22CA1 Housing

MR22AN1 Stainless steel ring nut for ground

LED 11W / 2000lm / 220-240V / Round ring

MR22P32 ■ ■ ■ ■ ■

MR22CA1 Housing

MR22AN1 Stainless steel ring nut for ground

LED 16,5W / 2850lm / 220-240V / Round ring

MR22P33 ■ ■ ■ ■ ■

MR22CA1 Housing

MR22AN1 Stainless steel ring nut for ground

LED 23,5W / 3940lm / 220-240V / Round ring

MR22P35 ■ ■ ■ ■ ■

MR22CA1 Housing

MR22AN1 Stainless steel ring nut for ground

■ LED color

1 2200 K

2 2700 K

3 3000 K

■ LED Optics

X 10°

Y 25°

Z 40°

Finishing

IN Inox

BT Browntech

NB Naturalblack



Marell 22

CE LED GU10 IP67 IK10 220-240V

Stainless steel AISI 316L

Fixed fixing: housing with stainless steel ring

Ground fixing: with stainless steel ring nut


Direct light

Transparent glass difuser (on request sand blasted)

Adjustable optics ± 20° and rotating on the axis 360°

Supplied with 30 cm cable welded to the connector IP68

With anti-condensation barrier



inverlight
FRANCESCO CASARINO SOCIETÀS P.A.S.

via P. Stucchi, 2 \ 20872 Cornate d'Adda (MB) Italy

tel. +39 039 6060754

www.inverlight.it \ info@inverlight.it