

GARDEN AND POETRY
2018

inverlight[®]
STAINLESS LIGHTING SOLUTIONS



4,8W / 450lm / 24V / H 500 mm spike to be planted

ACHPP1H1 ■ **IN** Inox

ACHPP1H1 ■ **BT** Browntech

9,6W / 900lm / 24V / H 1000 mm spike to be planted

ACHPP1H2 ■ **IN** Inox

ACHPP1H2 ■ **BT** Browntech

14,4W / 1350lm / 24V / H 1500 mm spike to be planted

ACHPP1H3 ■ **IN** Inox

ACHPP1H3 ■ **BT** Browntech

19,2W / 1800lm / 24V / H 2000 mm spike to be planted

ACHPP1H4 ■ **IN** Inox

ACHPP1H4 ■ **BT** Browntech

4,8W / 450lm / 24V / H 500 mm fixing to the ground

ACHFP1H1 ■ **IN** Inox

ACHFP1H1 ■ **BT** Browntech

9,6W / 900lm / 24V / H 1000 mm fixing to the ground

ACHFP1H2 ■ **IN** Inox

ACHFP1H2 ■ **BT** Browntech

14,4W / 1350lm / 24V / H 1500 mm fixing to the ground

ACHFP1H3 ■ **IN** Inox

ACHFP1H3 ■ **BT** Browntech

19,2W / 1800lm / 24V / H 2000 mm fixing to the ground

ACHFP1H4 ■ **IN** Inox

ACHFP1H4 ■ **BT** Browntech

■ LED color

2 2700 K

3 3000 K

Drivers 24V p. 106

Acorus horizontal


CE LED IP65 IK08 24V

Stainless steel AISI 316L

Spike to be planted

Equipped with cable 5 mt

Available in version 12V (ref. +12V)





inverlight
FRANCESCO CASARINO SOCIETÀS P.A.S.

via P. Stucchi, 2 \ 20872 Cornate d'Adda (MB) Italy

tel. +39 039 6060754

www.inverlight.it \ info@inverlight.it