



GARDEN AND POETRY
2022.01

inverlight[®]
STAINLESS LIGHTING SOLUTIONS







LED 4W / 400lm / 24V / H 700 mm

CH7P1H1 ■ ■ ■ ■ ■

LED 4W / 400lm / 24V / H 1000 mm

CH7P1H2 ■ ■ ■ ■ ■


■	LED color	■	Head shape		Finishing
1	2200 K	P	Flat	IN	Inox
2	2700 K	B	Convexe	BT	Browntech
3	3000 K			NB	Naturalblack

Drivers 24V p. 218

Chiodino 7 P

CE LED IP65 IK08 24V




Stainless steel AISI 316L
Spike to be buried
Flat or convexe head
Equipped with 3 mt cable
Driver 24V not included





LED 4W / 400lm / 24V / H 500-900 mm above ground

CH7PTH1 


LED color	Head shape	Finishing
1 2200 K	P Flat	IN  Inox
2 2700 K	B Convexe	BT  Browntech
3 3000 K		NB  Naturalblack

Drivers 24V p. 218

Chiodino 7 telescopic

CE  IP65 IK08 24V

Stainless steel AISI 316L
Adjustable height from 500 till 900 mm above ground
Spike to be buried
Flat or convexe head
Supplied with 3 mt cable
Driver 24V not included



inverlight
FRANCESCO CASATI SPA

via P. Stucchi, 2 \ 20872 Cornate d'Adda (MB) Italy

tel. +39 039 6060754

www.inverlight.it \ info@inverlight.it